

L Number	Hits	Search Text	DB	Time stamp
7	65	((("257/213").CCLS.) or (("257/288").CCLS.) or (("257/327").CCLS.) or (("257/335").CCLS.) or (("257/339").CCLS.) or (("257/355").CCLS.)) and transistor and depletion adj mode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/03 08:43
-	0	("dmos.ti,ab. and buried.ti,ab. and depletion.ti,ab.").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/02 18:26
-	3	dmos.ti,ab. and buried.ti,ab. and depletion.ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/06 15:09
-	2	jp-02122672\$-\$\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/06 15:02
-	2	jp-08321606\$-\$\$.did.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/06 15:02
-	78	dmos.ti,ab. and buried.ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/06 15:09
-	19	dmos.ti,ab. and buried.ti,ab.	USPAT	2002/01/06 15:11
-	0	dmos.ti,ab. and buried.ti,ab. and withstand adj2 voltage.ti,ab.	USPAT	2002/01/06 15:12
-	1	dmos.ti,ab. and buried.ti,ab. and withstand adj2 voltage	USPAT	2002/01/06 15:29
-	500	(257/335).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/06 15:31
-	13	((("257/213").CCLS.) or (("257/288").CCLS.) or (("257/327").CCLS.) or (("257/335").CCLS.) or (("257/339").CCLS.) or (("257/355").CCLS.)) and buried.clm. and (dmos or dmosfet).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/02 18:36
-	74	((("257/213").CCLS.) or (("257/288").CCLS.) or (("257/327").CCLS.) or (("257/335").CCLS.) or (("257/339").CCLS.) or (("257/355").CCLS.)) and buried.clm. and (dmos or dmosfet or fet or field adj effect adj transistor or mos or mosfet or nmso or nmosfet or pmos or pmosfet).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/06 15:34
-	75	((("257/213").CCLS.) or (("257/288").CCLS.) or (("257/327").CCLS.) or (("257/335").CCLS.) or (("257/339").CCLS.) or (("257/355").CCLS.)) and buried.clm. and (dmos or dmosfet or fet or field adj effect adj transistor or mos or mosfet or nmso or nmosfet or pmos or pmosfet).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/06 17:55
-	1	5742087.pn. and depletion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/06 18:11

update *[Signature]*

-	72	(first adj buried and second adj buried).clm. and (breakdown adj voltage or withstand adj voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/06 18:13
-	18	(first adj buried and second adj buried).clm. and (breakdown adj voltage or withstand adj voltage) and impurity and switching	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/06 18:27
-	122	(first adj buried and second adj buried) and (breakdown adj voltage or withstand adj voltage)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 10:32
-	987	switching near10 diode and 257/\$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/06 20:09
-	987	(switching near10 diode) and 257/\$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/06 20:09
-	203	(switching adj2 diode) and 257/\$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/06 20:09
-	38	(switching adj2 diode).ti,ab. and 257/\$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/06 20:21
-	0	(switching adj2 diode).ti,ab. and 257/\$6.ccls. and galbiati.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/06 20:22
-	0	(switching adj2 diode).ti,ab. and 257/\$6.ccls. and ludikhuize.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/06 20:23
-	61	fifth adj impurity.clm. and 257/\$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 08:16
-	18	(fifth adj impurity.clm. and 257/\$6.ccls.) and switching	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 08:17
-	43	(first adj impurity near12 second adj impurity) near12 surround\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 10:54
-	6	((first adj impurity near12 second adj impurity) near12 surround\$3) and switching	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 11:42
-	12	(buried adj region near10 gap) and (257/\$6.ccls. or 438/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 11:43

-	3	5874767.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 14:28
-	298	((slit or gap or opening) near10 buried) and (withstand or breakdown) adj voltage	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 14:31
-	273	((slit or gap or opening) near10 buried) and (withstand or breakdown) adj voltage and (438/\$6.ccls. or 257/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 14:33
-	52	((slit or gap) near10 buried) and (withstand or breakdown) adj voltage and (438/\$6.ccls. or 257/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 14:40
-	14	((slit or gap) near10 buried adj2 (region or layer)) and (withstand or breakdown) adj voltage and (438/\$6.ccls. or 257/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 14:45
-	14	((slit or gap) near10 buried adj2 ("regions" or "layers")) and (withstand or breakdown) adj voltage and (438/\$6.ccls. or 257/\$6.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 15:32
-	382	(257/653).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 15:32
-	101	(257/654).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 15:32
-	7	((("257/653").CCLS.) or (("257/654").CCLS.)) and buried and (slit or gap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 15:33
-	472	((("257/653").CCLS.) or (("257/654").CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 17:19
-	220	buried adj2 ("regions" or "layers") same (recess\$3 or indent\$5 or gap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 16:26
-	70	buried adj2 ("regions" or "layers") near12 (recess\$3 or indent\$5 or gap)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 16:26
-	20	buried adj2 ("regions" or "layers") near12 (recess\$3 or indent\$5 or gap) and 257/\$6.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 16:27
-	209	((("257/653").CCLS.) or (("257/654").CCLS.))	JPO; DERWENT; IBM_TDB	2002/01/07 16:30
-	209	((("257/653").CCLS.) or (("257/654").CCLS.))	JPO	2002/01/07 16:30
-	22	((("257/653").CCLS.) or (("257/654").CCLS.)) and buried	JPO	2002/01/07 16:33

-	1	((("257/653").CCLS.) or (("257/654").CCLS.)) and buried and (slit or gap or opening)	JPO	2002/01/07 16:33
-	27	((("257/213").CCLS.) or (("257/288").CCLS.) or (("257/327").CCLS.) or (("257/335").CCLS.) or (("257/339").CCLS.) or (("257/355").CCLS.)) and (buried adj2 (region or layer) same (gap or opening or slit))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 17:12
-	16	((("257/213").CCLS.) or (("257/288").CCLS.) or (("257/327").CCLS.) or (("257/335").CCLS.) or (("257/339").CCLS.) or (("257/355").CCLS.)) and (buried same thickness same increase)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 17:12
-	21	((("257/653").CCLS.) or (("257/654").CCLS.)) and (buried same thickness)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 17:20
-	5	((("257/653").CCLS.) or (("257/654").CCLS.)) and (buried same thickness same (greater or increase\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 17:22
-	0	5629558.PN. and (thick\$4 same buried)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 17:22
-	1	5629558.PN. and thick\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 17:22
-	3222	((("257/213").CCLS.) or (("257/288").CCLS.) or (("257/327").CCLS.) or (("257/335").CCLS.) or (("257/339").CCLS.) or (("257/355").CCLS.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 18:50
-	2	6175143.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 18:52
-	2	6177712.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 19:45
-	15	(lateral adj2 field adj effect and switching).ti,ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/01/07 20:35
-	5	((("5629558") or ("5940700") or ("5874767") or ("4485392") or ("6127695")).PN.	USPAT	2002/01/07 20:36
-	398	(257/213).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/02 18:34
-	733	(257/288).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/02 18:35

-	362	(257/327).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/02 18:35
-	456	(257/339).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/02 18:35
-	1054	(257/355).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/02 18:36
-	154	((("257/213").CCLS.) or (("257/288").CCLS.) or (("257/327").CCLS.) or (("257/335").CCLS.) or (("257/339").CCLS.) or (("257/355").CCLS.)) and buried.clm.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/03 08:42
-	71	((("257/213").CCLS.) or (("257/288").CCLS.) or (("257/327").CCLS.) or (("257/335").CCLS.) or (("257/339").CCLS.) or (("257/355").CCLS.)) and buried.clm. and switch\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/02 19:16
-	4	((("257/213").CCLS.) or (("257/288").CCLS.) or (("257/327").CCLS.) or (("257/335").CCLS.) or (("257/339").CCLS.) or (("257/355").CCLS.)) and buried.clm. and (gate near4 connect\$3 near4 buried)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/02 19:37
-	7	((("257/213").CCLS.) or (("257/288").CCLS.) or (("257/327").CCLS.) or (("257/335").CCLS.) or (("257/339").CCLS.) or (("257/355").CCLS.)) and buried adj contact near3 gate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/02 19:43
-	1	dtmos and buried adj contact	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/02 19:45
-	5	dtmos and buried near3 gate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/06/02 19:47
-	0	advantage and dtmos and buried near3 gate	DERWENT	2002/06/02 19:48
-	470	advantage and buried near12 gate	DERWENT	2002/06/02 19:48
-	86	advantage and buried adj contact near12 gate	DERWENT	2002/06/02 19:48
-	68	advantage and buried adj contact near6 gate	DERWENT	2002/06/02 20:08
-	0	(buried or body) adj (contact or bias) near12 gate and dtmos	DERWENT	2002/06/02 20:09
-	0	(buried or body) adj (contact or bias) near12 gate and 257/\$6.ccls.	DERWENT	2002/06/02 20:10
-	195	(buried or body) adj (contact or bias) near12 gate	DERWENT	2002/06/02 20:12
-	939	(buried or body) adj (contact or bias) near12 gate	USPAT; DERWENT	2002/06/02 20:40
-	0	(buried or body) adj (contact or bias) near12 gate and 5348714.pn.	USPAT; DERWENT	2002/06/02 20:27
-	2	(buried or body) adj (contact or bias) near12 gate and 6348714.pn.	USPAT; DERWENT	2002/06/02 20:27
-	416	(buried or body) adj (contact or bias) near3 gate	USPAT; DERWENT	2002/06/02 20:40
-	69	(buried or body) adj (contact or bias) near3 connect\$3 near3 gate	USPAT; DERWENT	2002/06/02 21:16

-	56	(buried) adj (contact or bias) near3	USPAT;	2002/06/02 20:43
-	3	connect\$3 near3 gate	DERWENT	
-		("5895939").PN.	USPAT;	2002/06/02 21:27
-	0	parasitic adj capacitance near12 buried	US-PGPUB;	
-		adj contact near12 (vertical adj field adj	EPO; JPO;	
-		effect or v-fet or v-igbt)	DERWENT;	2002/06/02 21:29
-	1	parasitic adj capacitance near12 (vertical	IBM_TDB	
-		adj field adj effect or v-fet or v-igbt)	USPAT;	2002/06/02 21:44
-	134	t-gate.ti,ab.	US-PGPUB;	
-			EPO; JPO;	2002/06/02 22:26
-	0	t-gate.ti,ab. and buried near4 contact	DERWENT;	
-			IBM_TDB	2002/06/02 21:45
-	0	t-gate.ti,ab. and buried near6 contact	USPAT;	
-			US-PGPUB;	2002/06/02 21:45
-	0	vertical adj DMOSFET near10 "in series"	EPO; JPO;	
-			DERWENT;	2002/06/02 22:26
-	0	vertical adj MOSFET near10 "in series"	IBM_TDB	
-			USPAT;	2002/06/02 22:27
-	0	(VMOSFET or vertical adj MOSFET) near10	US-PGPUB;	
-		"in series"	EPO; JPO;	2002/06/02 22:27
-	1	(FET or transistor) near10 "in series"	DERWENT;	
-			IBM_TDB	2002/06/02 22:45
-	2	("6348714").PN.	USPAT;	
-			US-PGPUB;	2002/06/02 22:45
-			EPO; JPO;	
-			DERWENT;	
-			IBM_TDB	